



WOOD CASE

RC 10504 B
RC 10508 B
RC 10509 B
RC 10511 B
RC 10524 B
RC 10607 B
RC 10608 B
RC 10609 B
RC 10611 B
RC 10613 B
RC 10614 B
RC 10618 B
RC 10619 B
RC 10628 B
RC 10631 B
RC 10707 B
RC 10708 B
RC 10709 B
RC 10711 B
RC 10713 B
RC 10714 B
RC 10718 B
RC 10719 B
RC 10728 B
RC 10731 B




RC 10600 BG B
RC 10600 EG B




outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10504	1050	/	120	80	240	460	540	140	240	320	/
RC 10508	1075	/	150	110	220	470	550	150	300	380	/
RC 10509	1125	/	160	120	250	460	605	150	300	400	/
RC 10511	1195	/	160	120	300	525	620	140	310	410	/
RC 10524	1165	/	170	120	260	470	640	180	340	460	/
RC 10607	1135	/	120	85	280	500	595	140	315	420	5.0 kg
RC 10608	1070	/	150	135	230	465	560	155	310	390	4.7 kg
RC 10609	1125	/	165	115	255	475	615	150	305	410	5.0 kg
RC 10611	1195	/	160	115	290	535	610	150	315	410	5.7 kg
RC 10613	1345	/	175	130	375	625	675	185	310	445	6.2 kg
RC 10614	1160	/	170	125	270	470	645	185	320	450	5.2 kg
RC 10618	1080	/	150	110	240	475	550	155	300	390	4.9 kg
RC 10619	1120	/	160	120	245	465	610	155	310	410	5.1 kg
RC 10628	1145	/	125	85	310	625	500	150	245	305	/
RC 10631	1190	/	160	110	345	560	585	150	310	400	6.1 kg
RC 10707	1135	/	120	85	280	500	595	140	315	420	4.9 kg
RC 10708	1070	/	150	135	230	465	560	155	310	390	4.2 kg
RC 10709	1125	/	165	115	255	475	615	150	305	410	5.3 kg
RC 10711	1195	/	160	115	290	535	610	150	315	410	5.7 kg
RC 10713	1345	/	175	130	375	625	675	185	310	445	6.2 kg
RC 10714	1160	/	170	125	270	470	645	185	320	450	5.2 kg
RC 10718	1080	/	150	110	240	475	550	155	300	390	5.4 kg
RC 10719	1120	/	160	120	245	465	610	155	310	410	4.2 kg
RC 10728	1145	/	125	85	310	625	500	150	245	305	/
RC 10731	1190	/	160	110	345	560	585	150	310	400	5.3 kg
outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	La (length a)		Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10600 BG	1235	380	100				Foam block: L 1210 / W 360 / H 70				6.0 kg
RC 10600 EG	1075	370	105				Foam block: L 1055 / W 350 / H 50				5.2 kg

RC 10505 B
RC 10506 B
RC 10605 B
RC 10606 B
RC 10705 B
RC 10706 B




RC 10601 B
RC 10620 B
RC 10701 B
RC 10720 B




outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10505	1240	390	120	60	340	430	770	180	350	330	/
RC 10506	1080	380	120	60	345	515	520	140	330	315	/
RC 10605	1230	380	105	60	340	415	775	200	355	335	6.5 kg
RC 10606	1075	370	105	65	290	505	525	155	345	325	6.0 kg
RC 10705	1230	380	105	60	340	415	775	200	355	335	5.9 kg
RC 10706	1075	370	105	65	290	505	525	155	345	325	5.3 kg

outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10601	1130	385	100	55	265	515	590	210	360	340	5.9 kg
RC 10620	1200	450	105	55	315	460	700	310	420	410	6.5 kg
RC 10701	1130	385	100	55	265	515	590	210	360	340	6.0 kg
RC 10720	1200	450	105	55	315	460	700	310	420	410	6.9 kg




RC 10602 B
RC 10624 B
RC 10702 B
RC 10724 B




outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10603	1090	/	110	70	305	430	605	140	290	320	4.5 kg
RC 10703	1090	/	110	70	305	430	605	140	290	320	4.8 kg

outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10602	1090	/	120	100	120	485	510	150	280	330	4.2 kg
RC 10624	1165	/	170	112	275	465	655	185	320	450	5.7 kg
RC 10702	1090	/	120	100	120	485	510	150	280	330	4.1 kg
RC 10724	1165	/	170	112	275	465	655	185	320	450	5.9 kg




RC 10621 B
RC 10622 B
RC 10626 B
RC 10721 B
RC 10722 B
RC 10726 B




outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10604	1050	/	115	80	110	495	510	150	245	330	4.0 kg
RC 10704	1050	/	115	80	110	495	510	150	245	330	4.0 kg

outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10621	1165	430	95	55	255	490	625	280	420	395	5.9 kg
RC 10622	1385	415	100	55	270	495	845	245	395	370	6.8 kg
RC 10626	1425	530	100	55	285	565	820	335	490	475	8.0 kg
RC 10721	1165	430	95	55	255	490	625	280	420	395	6.3 kg
RC 10722	1385	415	100	55	270	495	845	245	395	370	7.0 kg
RC 10726	1425	530	100	55	285	565	820	335	490	475	8.4 kg

RC 10625 B
RC 10725 B




RC 10627 B
RC 10727 B




outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10625	1240	485	95	50	250	530	670	440	/	/	7.0 kg
RC 10725	1240	485	95	50	250	530	670	440	/	/	7.0 kg

outside (mm)				inside (mm)							
Art. No.	TL (total length)	W (depth)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
RC 10627	1110	395	120	70	270	535	505	340	340	/	5 kg
RC 10727	1110	395	120	70	270	535	505	340	340	/	5 kg

FLIGHTCASE




RC 10804 B




outside (mm)					inside (mm)								
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	Hc (height c)	La (length a)	Lb (length b)	Lc (length c)	Ld (length d)	Wa (width a)	Wb (width b)	Wc (width c)	Wd (width d)
RC 10803 B	1070	135	240	410	60	210	285	100	400	135	175	270	340

outside (mm)					inside (mm)						
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	Hc (height c)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)
RC 10804 B	1075	150	195	455	75	185	370	455	125	260	340

RC 10805 B
RC 10806 B
RC 10830 B
RC 10835 B
RC 10836 B
RC 10836 B/L



RC 10850 B




	outside (mm)			inside (mm)					
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)
RC 10805 B	1245	130	425	55	280	360	540	215	360
RC 10806 B	1100	150	405	70	280	285	475	220	345
RC 10830 B	1220	130	420	50	215	430	500	180	350
RC 10835 B	1450	140	485	60	245	540	600	190	420
RC 10836 B	1450	150	480	60	270	525	600	190	420
RC 10836 B/L	1450	150	480	60	270	525	600	190	420

outside (mm)					inside (mm)					
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	Hc (height c)	Hd (height d)	La (length a)	Lb (length b)	Wa (width a)	Wb (width b)
RC 10850 B	1715	230	380	120	150	85	1160	365	105	275


DISPLAYCASE, ALU CASE

RC 10905 B
RC 10906 B
RC 10907 B
RC 10909 B
RC 10914 B
RC 10918 B
RC 10920 B






outside (mm)				inside (mm)				
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)
RC 10905 B	1260	140	425	70	390	410	410	400
RC 10906 B	1105	145	415	75	375	200	470	365
RC 10907 B	1190	145	480	75	270	390	480	430
RC 10909 B	1170	180	480	110	260	860	/	430
RC 10914 B	1230	185	510	130	330	350	490	470
RC 10918 B	1215	130	495	75	270	440	460	450
RC 10920 B	1260	140	510	80	315	420	480	460

RC 20605 A
RC 20606 A



RC 20609 A




outside (mm)				inside (mm)						
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)
RC 20605 A	1250	145	430	40	260	400	520	340	340	350
RC 20606 A	1070	150	415	45	260	300	455	340	320	335


outside (mm)					inside (mm)							
Art. No.	TL (total length)	DL1 (total depth 1)	DL2 (total depth 2)	Ha (height a)	Hb (height b)	Hc (height c)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)
RC 20609 A	1160	200	170	355	515	100	270	255	560	135	320	425

CASKET CASE

WCK 10704 B
WCK 10705 B
WCK 10706 B
WCK 10721 B
WCK 10722 B



WCK 10804 B/R
WCK 10805 B/R
WCK 10806 B/R
WCK 10821 B/R
WCK 10822 B/R



outside (mm)			inside (mm)							
Art. No.	TL (total length)	H (height)	Ha (height a)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)	Weight
WCK 10704 B/R	1125	390	80	290	240	490	150	285	315	6.2 kg
WCK 10705 B/R	1495	425	60	340	315	575	190	325	365	7.5 kg
WCK 10706 B/R	1265	425	60	285	245	500	165	285	335	6.7 kg
WCK 10721 B/R	1335	440	60	305	265	565	180	320	370	7.1 kg
WCK 10722 B/R	1500	515	60	330	320	635	245	410	455	8.6 kg

outside (mm)			inside (mm)							
Art. No.	TL (total length)	DL (total depth)	Ha (height a)	Hb (height b)	La (length a)	Lb (length b)	Lc (length c)	Wa (width a)	Wb (width b)	Wc (width c)
WCK 10804 B/R	1150	150	370	80	275	230	490	155	270	315
WCK 10805 B/R	1400	145	420	75	350	305	550	195	320	370
WCK 10806 B/R	1220	145	405	75	270	235	510	165	290	350
WCK 10821 B/R	1310	145	430	70	320	230	560	170	310	375
WCK 10822 B/R	1550	150	555	75	340	310	660	240	420	515