

## ARGO 8X8 FRONTIER 650



An 8-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23 hp Cooler Cleaner Briggs & Stratton engine. It features front axle bearing extensions for increased axle and bearing life and has a load capacity of up to 1,000 lbs on land or 900 lbs on water.

- Heavy duty axles
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain

## ARGO 6X6 650 HD

A 6-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23hp, Briggs & Stratton Cooler Cleaner engine with 20/50 Amp charging system and electronic ignition. It has a load capacity of up to 700 lbs on land or 500 lbs on water.

- Innovative triple differential ADMIRAL steering transmission, providing even torque to all 6 of the 25" ARGO tires
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards



## Argo 8x8 Frontier 650



## Argo 6x6 650 HD





# VEHICLE SPECIFICATIONS

	6 X 6 FRONTIER 580	6 X 6 650 HD	8 X 8 FRONTIER 650	8 X 8 700 HD	8 X 8 750 HDi	8 X 8 750 HDi SE	8 X 8 XTI
ENGINE	Briggs & Stratton Vanguard 2 year warranty	Briggs & Stratton Vanguard 2 year warranty	Briggs & Stratton Vanguard 2 year warranty	Kohler Aegis LH 690 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty
TYPE	4 cycle OHV V-Twin gasoline engine, electronic ignition, full pressure lubrication and oil filter						
HORSEPOWER	18	23	23	26	31	31	31
DISPLACEMENT	570cc	627cc	627cc	674cc	748cc	748cc	748cc
COOLING	Air Cooled	Air Cooled	Air Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled
STARTING	Electric/Recoil	Electric/Recoil	Electric/Recoil	Electric	Electric	Electric	Electric
BRAKES	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
STEERING	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	Multi-position, one-piece, ergonomic handlebar
	Steering control features hand brake. For safety and ease of handling, the ARGO steering transmission provides continuous torque to all axles.						
CONTROLS	Right-hand twist grip throttle and dash-mounted choke control (Except HDi models). Light switch and ignition switch.						
CLUTCH	Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.						
TRANSMISSION	Planetary <sup>9</sup>	ADMIRAL <sup>8</sup>	Planetary <sup>9</sup>	ADMIRAL <sup>8</sup>	ADMIRAL <sup>8</sup>	ADMIRAL <sup>8</sup>	ADMIRAL <sup>8</sup>
DRIVE SYSTEM	Roller chains drive machined sprockets that are spline-fit onto 11/4" diameter axles and are protected with triple-sealed greaseable bearings.						
FRAME	Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.						
BODY	Vacuum formed High Molecular Weight Polyethylene						
FULL SKID PLATE	Optional	Standard	Optional	Standard	Standard	Standard	Standard
LOAD CAPACITY <sup>1</sup>	700 lbs / 317 kg total <sup>2</sup>	700 lbs / 317 kg total <sup>2</sup>	1,000 lbs / 454 kg total	1,150 lbs / 521 kg total	1,150 lbs / 521 kg total	1,000 lbs / 454 kg total	1,500 lbs / 680 kg total
ON LAND	140 lbs / 63 kg max.	140 lbs / 63 kg max.					
REAR COMPARTMENT	500 lbs / 227 kg total	500 lbs / 227 kg total	900 lbs / 408 kg total	1,000 lbs / 454 kg total	1,000 lbs / 454 kg total	850 lbs / 386 kg total	1,000 lbs / 454 kg total
ON WATER							
TOWING CAPACITY <sup>3</sup>	1,200 lbs / 545 kg	1,400 lbs / 635 kg	1,400 lbs / 635 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg
SEATING CAPACITY <sup>4</sup>	4 persons	4 persons	6 persons	6 persons	6 persons	6 persons	4 persons
ON LAND	2 persons	2 persons	4 persons	4 persons	4 persons	4 persons	4 persons
ON WATER							
FUEL CAPACITY	7.1 US gallons (27 litres) See-through polyethylene fuel tank. 8 hours of operation <sup>5</sup>						
SPEED <sup>6</sup>	22 mph / 35 km per hour	22 mph / 35 km per hour	19 mph / 30 km per hour	20 mph / 32 km per hour	20 mph / 32 km per hour	20 mph / 32 km per hour	17 mph / 27 km per hour
ON LAND	3 mph / 5 km per hour	3 mph / 5 km per hour	3 mph / 5 km per hour	3 mph / 5 km per hour	3 mph / 5 km per hour	3 mph / 5 km per hour	3 mph / 5 km per hour
ON WATER <sup>7</sup>							
SHIPPING WEIGHT	850 lbs / 386 kg	900 lbs / 408 kg	1,050 lbs / 476 kg	1,250 lbs / 570 kg	1,260 lbs / 571 kg	1,410 lbs / 641 kg	1,600 lbs / 725 kg
DIMENSIONS (L x W x H) (inches)	95 x 58 x 45.8	95 x 58 x 45.8	119 x 58 x 46.5	119 x 60 x 46	119 x 60 x 46	119 x 60 x 46	114 x 65 x 49
(mm)	2,413 x 1,473 x 1,163	2,413 x 1,473 x 1,163	3,020 x 1,473 x 1,180	3,020 x 1,525 x 1,170	3,020 x 1,525 x 1,170	3,020 x 1,525 x 1,170	2,896 x 1,651 x 1,245
AXLE BEARING EXTENSIONS	Front - Optional Rear - N/A	Front - Standard Rear - Standard	Front - Standard Rear - Optional	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard
LCD DIGITAL GAUGE CLUSTER	Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Low Oil Pressure and Parking Brake Reminder Lights			Speedometer, Odometer, Voltmeter, Hourmeter, Tachometer, Engine Coolant Temperature, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 750 HDi & 750 HDi SE also feature a Check Engine Light)			
TIRES	ARGO AT189 24x10.00-8NHS	ARGO AT189 24x10.00-8NHS	ARGO AT189 24x10.00-8NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS	ARGO AT189 25x12.00-9 NHS
GROUND PRESSURE	1.7 psi (13.5 kPa) using tires 0.67 psi (4.6 kPa) using tracks						
GROUND CLEARANCE	9.5" (240 mm)	9.5" (240 mm)	9" (230 mm)	9.5" (240 mm)	9.5" (240 mm)	9.5" (240 mm)	9" (230 mm)
TIRES	10.5" (265 mm)	10.5" (265 mm)	10" (255 mm)	10.5" (265 mm)	11" (279 mm)	11" (279 mm)	10" (255 mm)
TRACKS							

## OPERATING CONDITIONS

All weather, all terrain, -40°C to +40°C

- Capacity includes occupants, cargo, outboard motor and fuel, and installed accessories.  
Max. outboard motor size 7.4 kW (9.9 hp).
- Total payload is 700lbs with max. 140lbs allocated to rear compartment.
- Towing capacity is approximate and depends on type of surface, load on vehicle as well as incline.  
Max Hitch Tongue Load (when equipped with hitch) 100 lbs / 45kg for all models
- Subject to rear compartment load capacity limitations.
- Fuel consumption depends on load and operating conditions.
- All speeds are approximate and depend on conditions.
- Always wear approved Personal Flootation Device (PFD) when operating in water or on ice.
- ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.
- Planetary differential transmission with High and Low range; Forward, Neutral, Reverse

**AVAILABLE ARGO COLORS** \*Colors in this brochure are reproduced with great care, but may vary slightly from actual ARGO vehicle colors.  
ARGO 8x8 XTI is only available in Tundra, Yellow, Red and Black.



Appearance and specifications subject to change without notice.

## COLOR OPTIONS FOR ALL STEEL PARTS

- Textured Black
  - Ultra Chrome / Clear Coat
  - Zinc / Textured Black
  - Zinc / Ultra Chrome / Clear Coat
- CUSTOM COATINGS AND COLORS ARE AVAILABLE UPON REQUEST.

# FOR THE ARGO ENTHUSIAST



ACCESSORIES	6 x 6		8 x 8			
	FRONTIER 580	ARGO 650 HD	FRONTIER 650	ARGO 700 HD	ARGO 750 HDi	ARGO 750 HDi SE
<b>COMFORT</b>						
Convertible Top	649-51	649-51	849-51	849-40	849-40	849-40
Convertible Half-Top	N/A	N/A	N/A	849-45	849-45	849-45
Heater	N/A	N/A	N/A	848-170	848-170	848-170
Rear Bench Seat	N/A	N/A	849-80	849-80	849-80	849-80
Suspension Seats	N/A	N/A	N/A	*	*	Included
Windshield	648-79	648-79	648-79	848-171	848-171	848-171
Windshield Wiper	648-91	648-91	648-91	648-91	648-91	648-91
<b>CONVENIENCE</b>						
Alternator	N/A	N/A	N/A	850-54	850-54	Included
Auto Chain Lubrication System	N/A	N/A	N/A	850-213	850-213	850-213
Cargo Tie Down Rings	614-06	614-06	614-06	614-06	614-06	614-06
Entry Step	N/A	N/A	848-173	848-173	848-173	Included
Gas Can Holder	867-01	867-01	867-01	867-01	867-01	867-01
Handrails	639-26	639-26	839-35	839-30	839-30	839-30
Helicopter Lift Kit**	865-00	865-00	865-00	865-00	865-00	865-00
Mounting Assembly (Brushguard/Winch)	622-107	622-107	622-108	622-108	622-108	Included
Outboard Motor Bracket	617-09	617-09	617-10	617-10	617-10	617-10
Power Winch	622-110	622-110	622-105	622-105	622-105	622-105SE
Receiver Winch (Wiring & Rear Hitch)	622-96	622-96	622-96	622-96	622-96	622-96
Remote Control (Winch)	622-106	622-106	622-106	622-106	622-106	622-106
Snow Plow Kit	N/A	657-21	657-21	657-21	657-21	657-21
Tire Holder	868-01	868-01	868-01	868-01	868-01	868-01
Tow Hook	642-00	642-00	642-00	642-00	642-00	Included
Trailer (consult dealer for options)	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11	V-Trailer-11
Trailer Hitch (coupler ball not included)	626-10	Included	Included	Included	Included	Included
Utility Bracket	821-25	821-25	821-25	821-25	821-25	N/A
Utility Rack	821-35	821-35	821-35	821-35	821-35	N/A
Utility Storage Pouch	621-35	621-35	621-35	621-35	621-35	621-35
<b>PROTECTION</b>						
Bilge Pump	638-40	638-40	638-40	638-40	638-40	638-40
Brake / Tail Lights	624-10	624-26	624-10	624-26	624-26	Included
Brushguard	642-50	642-50	642-50	642-49	642-49	Included
Brushguard for ROPS	642-80	642-80	642-80	642-80	642-80	N/A
Cargo Bedliner	N/A	N/A	866-01	866-01	866-01	866-01
Debris Screen	N/A	N/A	N/A	848-195	848-195	848-195
Fog Lights	648-92	648-92	648-92	648-92	648-92	648-92
Hood Fan	N/A	N/A	N/A	602-71	602-71	602-71
Mudflap	N/A	N/A	625-10	625-10	625-10	625-10
Reverse Back-up Alarm Kit	850-99	850-99	850-99	850-99	850-99	850-99
Roll Bar	648-15	648-15	N/A	N/A	N/A	N/A
Roll Bar Lights	648-90	648-90	N/A	N/A	N/A	N/A
ROPS c/w 2 Seat Belts	648-47	648-47	849-90-2	849-90-2	849-90-2	N/A
ROPS & Rear Bench Seat	N/A	N/A	849-90-4	849-90-4	849-90-4	N/A
Skid Plate	663-12	Included	863-13	Included	Included	Included
Storage Cover	621-21	621-21	821-40	821-40	821-40	821-40
<b>TRACKS</b>						
Rubber Tracks	625-50	625-50	825-50-1	825-50-1	825-50-1	825-50-1
Standard Tracks***	615-43	615-43	815-42K	815-42K	815-42K	815-42K
Super Tracks***	625-43	625-43	825-42K	825-42K	825-42K	825-42K
Super Track Ice Cleats	625-20	625-20	825-21	825-21	825-21	825-21
<b>SEARCH &amp; RESCUE</b>						
Stretcher Frame	N/A	N/A	N/A	850-100	850-100	N/A
Basket Mount Adapter (for Ferno RE1125)	N/A	N/A	N/A	850-101	850-101	N/A
Stretcher - Ferno #9	N/A	N/A	N/A	015-3204ARG	015-3204ARG	N/A

\* Factory Installed Option \*\*Requires 25" Tires. \*\*\*Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires



## ARGO DVDs

All DVDs contain brochures in PDF format.

### ARGO Recreational DVD

Includes the following ARGO videos: Models - 8x8 750 HDi, 8x8 700 HD, 6x6 650 HD and Frontier series. Applications and capabilities as well as ARGO Rubicon Trail Challenge, ARGO Adventures, and Chile Volcano Expedition.

### ARGO Hunting DVD

Experience the ultimate hunting vehicle: Models - 8x8 750 HDi, 8x8 700 HD, 6x6 650 HD and Frontier series, ARGO Hunting with Jim Shockey, Alan Warren, The Outdoor Quest, Southern and Outdoor Experience.

### ARGO Commercial DVD

ARGO and Centaur at Work including detailed model information on ARGO 8x8 750 HDi, 8x8 700 HD, Frontier 8x8 650 and Centaur 8x8. Applications and capabilities.

### ARGO Tri-lingual DVD

Experience extreme off-road performance with ARGO and Centaur. Contains ARGO 8x8 750 HDi, model overview, applications and capabilities in English, French and Spanish.

Availability and content subject to change without notice.

For more information on all ARGO promotional items ask your local dealer or visit [www.ARGOutv.com](http://www.ARGOutv.com)

### ARGO Clothing and Collectibles

Order online at [www.ARGOfgear.com](http://www.ARGOfgear.com)

